

A3 Farbkopierer


BP-70C65

Zukunftssicheres Design mit strengen Sicherheitsmerkmalen und überlegener Funktionalität für hybrides Arbeiten




- 65ppm colour MFP with seamless integration and connection to cloud based business process applications
- Built-in Microsoft® Teams connector strengthens collaboration by enabling direct and secure access for printing to or scanning from your Microsoft® Teams channels
- Keep your data, device and network secure with optional Bitdefender anti-malware protection software
- Securely print from or scan to public cloud storage services quickly and easily with single sign-on
- Scan at speeds of up to 280ipm with optional double feed detection for eliminating productivity interruptions
- Superior environmental performance delivers lower standby power consumption and low TEC value
- Feature rich hardware and solutions platform that supports the hybrid working environment
- Industry leading system and data protection features including BIOS based security and standard Trusted Platform Module ensure that confidential data is kept secure
- Interact with the MFP directly from your mobile device via WiFi, AirPrint, Bluetooth, NFC and QR Code
- 10.1-inch colour LCD operation panel offers a smartphone style user interface making everything easy to access and use
- Extensive finishing options including a folding unit bring even more flexibility to your print output
- Keep up-to-date and compliant with remote firmware and application updates via the Sharp Application Portal

Konfiguration



Konfigurationen können je nach Vertriebsregion variieren. Bitte kontaktieren Sie Ihren Sharp Vertriebskontakt für weitere Informationen.

Dimensionen



Darstellung mit optionalen Equipment. Die Optionen können sich je nach Vertriebsregion unterscheiden.

Optionen

Base Unit

01. BP-DE12 Stand with 550-sheet paper drawer

550 sheets* , SRA3 - A5R (60 - 300 g/m2)

02. BP-DE13 Stand with 2 x 550-sheet paper drawer

550 sheets* each for lower and upper trays, SRA3 - A5R (60 - 300 g/m2)

03. BP-DE14 Stand with 3 x 550-sheet paper drawer

550 sheets* each for lower and upper trays, SRA3 - A5R (60 - 300 g/m2)

04. BP-DE15 Stand with 550 + 2100-sheet paper drawer

Upper tray: SRA3 - A5R, 550 sheets* (60 - 300 g/m2)

Lower tray (Left): A4, 1,200 sheets* (60 - 105 g/m2)

Lower tray (Right): A4 - B5, 900 sheets* (60 - 105 g/m2)

05. BP-LC10 Large Capacity Tray

3,000 sheets* , A4 - B5 (60 - 220 g/m2)

06. BP-UT10 Utility Table

BP-DD10 Double Feed Detection Kit

Eliminates double feeding of paper while scanning

Printing

MX-PF10 Barcode Font Kit

Enables barcode printing

Scanning

AR-SU1 Stamp Unit

Marks already scanned documents for checking

Faxing

BP-FX11 Fax Expansion Kit

MX-FWX1 iFax Expansion Kit

Storage

BP-SD10 High Capacity SSD

512GB SSD

Sharp OSA®

MX-AMX1 Application Integration Module

Security

BP-FR12U Data Security Kit

Commercial version

BP-VD10 Virus Detection Kit

Finishing

07. BP-TR12 Exit Tray Unit

08. MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

09. BP-TU10 Exit Tray Cabinet

10. MX-TR20 N Job Separator Tray

Requires BP-TU10 Exit Tray Cabinet

11. BP-FN12 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 500-sheet paper capacity*

Stapling capacity: max. 50-sheet multi-position staple*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)
Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

12. BP-RB10 Paper Pass Unit

Required when using BP-FN13, BP-FN14, BP-FN15 & BP-FN16

13. BP-FD10 Folding Unit

200 sheets* , A3, B4, A4R (Z-fold & half fold), A3, A4R (C-Fold, Accordion fold), 60 - 256 g/m2

14. BP-FN13 1k Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity*

Stapling capacity: max. 50-sheet multi-position staple*

15. BP-FN14 1k Saddle Stitch Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity*

Stapling capacity: max. 50-sheet multi-position staple*

Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets), 20 sets (1-5 sheets). 15 sheets max per set

16. BP-FN15 3k Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 3,000-sheet paper capacity*

Stapling capacity: max. 65-sheet multi-position staple*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

17. BP-FN16 3k Saddle Stitch Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 3,000-sheet paper capacity*

Stapling capacity: max. 65-sheet multi-position staple*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

Saddle stitch tray (lower): 10 sets (11-20 sheets), 15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set

MX-PN14B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN12

MX-PN15B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN13/BP-FN14

MX-PN16B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN15/BP-FN16

* Number of sheets based on 80 g/m2

Spezifikationen

ALLGEMEINES

Maschinengeschwindigkeit Farbe S./Min. (A4)	65
Maschinengeschwindigkeit SW S./Min. (A4)	65
Maschinengeschwindigkeit Farbe S./Min. (A3)	29
Maschinengeschwindigkeit SW S./Min. (A3)	29
Papierformat: Min.-Max.	A6R - SRA3
Papiergewicht (g/m2)	55 - 300
Papierkapazität:Std (Blatt)	650
Papierkapazität: Max. (Blatt)	6300
Aufwärmzeit (Sek.)	15
Speicher Min./Max. (GB)	5
SSD	STD / OPT
SSD Kapazität (GB)	256 / 512
Duplex (beidseitiger Druck)	STD
Stromversorgung	200 - 240V, 50 / 60Hz
Leistungsaufnahme (kW)	1.84
Maße (mm)	609 x 662 x 860
Gewicht (kg)	86

ORIGINALEINZUG

Originalkapazität (Blatt)	300
---------------------------	-----

DOKUMENTENARCHIVIERUNG

Dokumentenarchivierung (Standard / Option)	STD
Dokumentenarchivierungskapazität - Haupt und benutzerdefinierter Ordner (Seiten)	20000
Dokumentenarchivierungskapazität - Offene Ablage (Seiten)	10000
Gespeicherte Jobs	Copy, print, scan, fax transmission
Speicherverzeichnisse	Quick file folder, main folder, custom folder (max. 1000)

FAX

Fax (Standard / Option)	OPT
Komprimierungsmethode	MH / MR / MMR / JBIG
Kommunikationsprotokoll	Super G3 / G3
Übertragungszeit (Sek.)	2
Modemgeschwindigkeit (bps)	33600 - 2400
Übertragungsauflösung	STD 203.2 x 97.8 dpi / Ultra Fine 406.4 x 391 dpi
Originalformat (Min.)	A5
Originalformat (Max.)	A3
Speicher (GB)	4
Graustufen	256
Registrierung; Zielwahl / Kurzwahl	2000
Rundrufübertragung (Max. Ziele)	500

WLAN

WLAN (Standard / Option)	STD
Eingehaltene Norm	IEEE802.11 a / b / g / n / ac
Zugriffsmodus	Infrastructure mode, Software AP mode
Sicherheit	WEP, WPA / WPA2-mixed PSK, WPA / WPA2-mixed EAP, WPA2-PSK, WPA2-EAP, WPA2 / WPA3-mixed PSK / SAE, WPA3 SAE, WPA2 / WPA3-mixed EAP, WPA3 EAP

KOPIERER

Originalformat (Max.)	A3
Erstkopie Farbe (Sek.)	4.8
Erstkopie SW (Sek.)	3.7
Elektronisches Sortieren (Standard)	•
Anwählbare Kopienanzahl (Max.)	9,999
Scannerauflösung SW (dpi)	600 x 600, 600 x 400, 600 x 300
Scannerauflösung Farbe (dpi)	600 x 600
Druckauflösung (dpi)	1200 x 1200, 600 x 600, 9600 x 600
Graustufen - Farbe	256
Zoombereich (%)	25 - 400
Voreinstellungen	10

SCANNER

Netzwerkscanner (Standard / Option)	STD
Scan-Methode: Push-Scan und Pull-Scan	•
Auflösung Push-Scan (dpi)	100, 150, 200, 300, 400, 600
Auflösung Pull-Scan (dpi)	75, 100, 150, 200, 300, 400, 600, 50 - 9600
Dateiformate	TIFF, PDF, PDF / A-1a, PDF / A-1b, encrypted PDF, compact PDF, JPEG, XPS, searchable PDF, Microsoft Office (pptx, xlsx, docx), TXT (UTF-8), RTF
Scan-Ziel: Desktop	•
Scan-Ziele: FTP, E-Mail	•
Scan-Ziel: SMB (Network folder)	•
Scan-Ziel: USB-Speicher	•

DRUCKER

Auflösung (dpi)	1200 x 1200, 600 x 600, 9600 x 600
Netzwerkdrucker (Standard / Option)	STD Ethernet
Schnittstelle (Standard/Option)	USB 2.0, USB 3.0, 10Base-T / 100Base-TX / 1000Base-T, Optional secondary LAN support
Betriebssysteme Standard	Windows 8.1, 10, 11, Windows Server 2012, 2012R2, 2016, 2019, Mac OS X 10.10, 10.11, 10.12, 10.13, 10.14, 10.15, 11, 12
Netzwerkprotokolle	TCP / IP (IPv4, IPv6)
Druckerprotokolle	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD
Seitenbeschreibungssprache Std./Opt.	STD PCL 6, Adobe® PostScript® 3™
Verfügbare Fonts	80 (PCL), 139 (Adobe PostScript 3)

FINISHING

Ausgabekapazität Max.	500 - 3000
Heftkapazität (Blatt) Max.	65
Sattelheftung	OPT
Versatzausgabe (Shifter)	STD
Lochung	OPT

TONERLAUFZEIT

Black (Seiten bei 5% Deckung)	40000
Cyan (Seiten bei 5% Deckung)	24000
Magenta (Seiten bei 5% Deckung)	24000
Yellow (Seiten bei 5% Deckung)	24000



Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail and Android are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett-Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation March 2022. Ref: BP-70C65 Datasheet. All trademarks acknowledged. E&O.